













522 Conducteurs de courant fort

522.001

© EIT.swiss 01.24











Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Câble FE0 Dca 8x1,5	52	522 211 173		11,00	0,066	16,60	0,086			
		53	522 211 174		17,25	0,122	26,95	0,158			
	Câble FE0 Dca 12x1,5	52	522 211 213		11,30	0,066	17,00	0,086			
		53	522 211 214		17,55	0,122	27,30	0,158			
	Câble FE0 Dca 16x1,5	52	522 211 223		13,05	0,066	19,05	0,086			
		53	522 211 224		19,25	0,122	29,35	0,158			
	Câble FE0 Dca 21x1,5	52	522 211 233		14,75	0,066	21,10	0,086			
		53	522 211 234		21,00	0,122	31,40	0,158			
	Câble FE0 Dca 27x1,5	52	522 211 243		19,75	0,090	28,20	0,116			
		53	522 211 244		27,65	0,161	41,20	0,207			
	Câble FE0 Dca 7x4	52	522 211 553		12,45	0,066	18,35	0,086			
		53	522 211 554		18,65	0,122	28,65	0,158			
	Câble FE0 Dca 7x6	52	522 211 653		16,90	0,066	23,65	0,086			
		53	522 211 654		23,15	0,122	33,95	0,158			
	Câble FE0 Dca 4x50	52	522 212 533		48,75	0,090	62,70	0,116			
		53	522 212 534		56,70	0,161	75,80	0,207			
	Câble FE0 Dca 4x70	52	522 212 623		71,55	0,118	91,30	0,152			
		53	522 212 624		81,20	0,204	107,25	0,263			
	Câble FE0 Dca 1x120	52	522 214 113		31,60	0,090	42,30	0,116			
		53	522 214 114		48,00	0,190	66,90	0,245			



522 Conducteurs de courant fort

522.002

© EIT.swiss 01.24











Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Câble FE0 Dca 1x150	52	522 214 213		36,95	0,090	48,70	0,116			
		53	522 214 214		52,20	0,186	71,70	0,240			
	Câble FE0 Dca 1x185	52	522 214 313		43,30	0,090	56,25	0,116			
		53	522 214 314		58,55	0,186	79,25	0,240			
	Câble FE0 Dca 1x240	52	522 214 413		52,65	0,090	67,35	0,116			
		53	522 214 414		67,40	0,185	89,75	0,238			
	Câble FE05 Cca 5x50	12	522 232 222		71,55	0,116	91,15	0,149			
	Câble FE05 Cca 5x70	12	522 232 322		76,55	0,133	97,95	0,171			
	Câble FE05 Cca 1x120	52	522 232 513		30,00	0,090	40,35	0,116			
		53	522 232 514		46,35	0,190	65,00	0,245			
	Câble FE05 Cca 1x150	52	522 232 613		35,30	0,090	46,70	0,116			
		53	522 232 614		50,55	0,186	69,75	0,240			
	Câble FE05 Cca 1x185	52	522 232 713		42,15	0,090	54,90	0,116			
		53	522 232 714		57,40	0,186	77,90	0,240			
	Câble FE05 Cca 1x240	52	522 233 113		51,85	0,090	66,45	0,116			
		53	522 233 114		66,65	0,185	88,85	0,238			
	Câble FE05 B2ca 5x50	12	522 235 222		115,00	0,331	155,40	0,436			



522 Conducteurs de courant fort

522.003

© EIT.swiss 01.24











Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Câble FE05 B2ca 1x70	12	522 235 312		52,00	0,312	79,35	0,411			
	Câble FE05 B2ca 5x70	12	522 235 322		131,80	0,338	175,60	0,444			
	Câble FE05 B2ca 1x120	52	522 235 513		30,00	0,090	40,35	0,116			
		53	522 235 514		46,35	0,190	65,00	0,245			
	Câble FE05 B2ca 1x150	52	522 235 613		35,30	0,090	46,70	0,116			
		53	522 235 614		50,55	0,186	69,75	0,240			
	Câble FE05 B2ca 1x185	52	522 235 713		42,15	0,090	54,90	0,116			
		53	522 235 714		57,40	0,186	77,90	0,240			
	Câble FE05 B2ca 1x240	52	522 236 113		51,85	0,090	66,45	0,116			
		53	522 236 114		66,65	0,185	88,85	0,238			
	Câble Eca 5x6 + 5x1,5 avec conducteurs de commande 0-4	52	522 351 103		15,80	0,066	22,35	0,086			
		53	522 351 104		22,10	0,122	32,75	0,158			
	Câble Eca 5x10 + 5x1,5 avec conducteurs de commande 0-4	52	522 351 203		21,65	0,090	30,45	0,116			
		53	522 351 204		29,65	0,161	43,55	0,207			
	Racc câble FE0/FE05 -12x2,5	72	522 381 141		121,95	0,990	197,95	1,290			
		73	522 381 142		294,95	2,508	506,15	3,414			
		71	522 381 143		50,45	0,454	83,60	0,586			
	Racc câble FE0/FE05 -16x2,5	72	522 381 151		161,75	1,350	263,95	1,754			
		73	522 381 152		388,20	3,336	667,70	4,536			
		71	522 381 153		64,15	0,578	106,40	0,746			



522 Conducteurs de courant fort

522.004

© EIT.swiss 01.24











Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Racc câble FE0/FE05 -21x2,5	72	522 381 161		191,15	1,560	309,65	2,024			
		73	522 381 162		474,30	4,040	816,70	5,514			
		71	522 381 163		81,35	0,734	134,80	0,946			
	Racc câble FE0/FE05 -27x2,5	72	522 381 171		233,35	1,942	379,60	2,516			
		73	522 381 172		605,80	5,206	1'045,05	7,098			
		71	522 381 173		101,70	0,918	168,35	1,182			
	Racc câble FE0/FE05 -1x120	72	522 381 611		90,35	0,648	142,45	0,848			
		73	522 381 612		166,70	1,142	263,10	1,514			
	Racc câble FE0/FE05 -5x120	72	522 381 631		233,60	1,982	381,90	2,564			
		73	522 381 632		466,10	3,100	738,55	4,160			
	Racc câble FE0/FE05 1x150	72	522 381 711		90,35	0,648	142,45	0,848			
		73	522 381 712		171,00	1,142	268,20	1,514			
	Racc câble FE0/FE05 5x6 + 5x1,5	72	522 384 101		123,30	0,946	197,65	1,236			
		73	522 384 102		271,45	2,238	460,85	3,042			
		71	522 384 103		46,65	0,420	77,35	0,542			
	Racc câble FE0/FE05 5x10 + 5x1,5	72	522 384 201		158,40	1,264	256,20	1,648			
		73	522 384 202		322,40	2,572	539,25	3,476			
		71	522 384 203		57,50	0,518	95,55	0,670			
	Racc câble FE0/FE05 1x240	72	522 385 111		133,75	0,768	200,30	1,002			
		73	522 385 112		251,50	1,378	376,25	1,818			
	Racc câble FE0/FE05 1x185	72	522 385 211		103,60	0,768	164,35	1,002			
		73	522 385 212		205,20	1,378	321,05	1,818			
	Racc câble FE180/-E90 1x150	72	522 386 112		90,35	0,648	142,45	0,848			
		73	522 386 113		171,00	1,142	268,20	1,514			



522 Conducteurs de courant fort

522.005

© EIT.swiss 01.24











Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Racc câble FE180/-E90 1x185	72	522 386 212		103,60	0,768	164,35	1,002			
		73	522 386 213		205,20	1,378	321,05	1,818			
	Racc câble FE180/-E90 -3x6	71	522 387 211		26,80	0,240	44,40	0,310			
		72	522 387 212		81,75	0,626	131,15	0,820			
		73	522 387 213		138,95	1,126	231,00	1,506			
	Racc câble FE180/-E90 -7x6	71	522 387 231		33,00	0,296	54,65	0,382			
		72	522 387 232		105,35	0,784	167,50	1,024			
		73	522 387 233		214,25	1,728	359,45	2,336			
	Racc câble FE180/-E90 1x120	72	522 387 712		90,35	0,648	142,45	0,848			
		73	522 387 713		166,70	1,142	263,10	1,514			
	Câble GKN hf 3x6/6	52	522 411 114		16,55	0,090	24,40	0,116			
		53	522 411 115		24,50	0,161	37,40	0,207			
	Câble GKN hf 3x10/10	52	522 411 124		18,85	0,090	27,10	0,116			
		53	522 411 125		26,75	0,161	40,10	0,207			
	Câble GKN hf 3x16/16	52	522 411 134		22,80	0,090	31,85	0,116			
		53	522 411 135		30,80	0,161	44,95	0,207			
	Câble GKN hf 3x25/25	52	522 411 144		29,25	0,090	39,50	0,116			
		53	522 411 145		37,25	0,161	52,60	0,207			
	Câble GKN hf 3x50/50	52	522 411 164		47,20	0,118	62,30	0,152			
		53	522 411 165		56,85	0,204	78,30	0,263			
	Câble GKN hf 3x95/95	52	522 411 174		76,25	0,137	97,95	0,177			
		53	522 411 175		86,15	0,225	114,20	0,290			



522 Conducteurs de courant fort

522.006

© EIT.swiss 01.24

Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Câble GKN hf 3x150/150	52	522 411 224		118,50	0,208	151,85	0,268			
		53	522 411 225		129,80	0,309	170,55	0,398			
	Câble GKN hf 3x185/185	52	522 411 234		158,20	0,208	199,15	0,268			
		53	522 411 235		169,50	0,309	217,85	0,398			
	Câble GKN hf 3x240/240	52	522 411 244		195,65	0,287	247,90	0,370			
		53	522 411 245		208,65	0,403	269,40	0,520			
	Câble GKN hf 1x95/35	52	522 411 414		36,55	0,118	49,60	0,152			
		53	522 411 415		54,55	0,233	77,05	0,301			
	Câble GKN hf 1x150/50	52	522 411 424		45,85	0,118	60,65	0,152			
		53	522 411 425		63,85	0,233	88,15	0,301			
	Câble GKN hf 1x240/80	52	522 411 434		66,70	0,137	86,60	0,177			
		53	522 411 435		83,35	0,249	112,10	0,321			
	Câble GKN hf 4x6/6 optimisé CEM	52	522 411 514		17,70	0,090	25,75	0,116			
		53	522 411 515		25,65	0,161	38,75	0,207			
	Câble GKN hf 4x10/10 optimisé CEM	52	522 411 524		21,10	0,090	29,75	0,116			
		53	522 411 525		29,00	0,161	42,75	0,207			
	Câble GKN hf 4x16/16 optimisé CEM	52	522 411 534		26,90	0,090	36,70	0,116			
		53	522 411 535		34,90	0,161	49,80	0,207			
	Câble GKN hf 4x25/25 optimisé CEM	52	522 411 544		34,30	0,090	45,50	0,116			
		53	522 411 545		42,30	0,161	58,65	0,207			



522 Conducteurs de courant fort

522.007

© EIT.swiss 01.24











Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Câble GKN hf 4x50/50 optimisé CEM	52	522 411 564		56,90	0,118	73,85	0,152			
		53	522 411 565		66,60	0,204	89,85	0,263			
	Câble GKN hf 4x95/95 optimisé CEM	52	522 411 574		93,90	0,137	118,95	0,177			
		53	522 411 575		103,80	0,225	135,25	0,290			
	Câble GKN hf 4x150/150 optimisé CEM	52	522 411 624		149,80	0,208	189,15	0,268			
		53	522 411 625		161,10	0,309	207,85	0,398			
	Câble GKN hf 4x185/185 optimisé CEM	52	522 411 634		197,00	0,208	245,40	0,268			
		53	522 411 635		208,35	0,309	264,10	0,398			
	Câble GKN hf 4x240/240 optimisé CEM	52	522 411 644		238,00	0,287	298,30	0,370			
		53	522 411 645		250,95	0,403	319,80	0,520			
	Câble CEM B2ca flex 4x150+95, non inductif	52	522 451 143		223,00	0,233	278,05	0,303			
		53	522 451 144		235,55	0,345	299,15	0,450			
	Câble CEM B2ca flex 4x185+95, non inductif	52	522 451 153		260,40	0,233	322,60	0,303			
		53	522 451 154		272,95	0,345	343,70	0,450			
	Câble CEM B2ca flex 4x240+120, non inductif	52	522 451 163		339,20	0,322	421,05	0,418			
		53	522 451 164		353,80	0,453	445,45	0,588			
	Câble CEM FE180/E30 B2ca flex 4x150+95, non inductif	52	522 452 143		280,95	0,233	347,05	0,303			
		53	522 452 144		293,50	0,345	368,15	0,450			
	Câble CEM FE180/E30 B2ca flex 4x185+95, non inductif	52	522 452 153		333,05	0,233	409,10	0,303			
		53	522 452 154		345,55	0,345	430,20	0,450			













522 Conducteurs de courant fort

522.008

© EIT.swiss 01.24

Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Câble CEM FE180/E30 B2ca flex 4x240 + 120, non inductif	52	522 452 163		414,65	0,322	510,95	0,418			
		53	522 452 164		429,30	0,453	535,35	0,588			
	Racc câble GKN 1x95/35	72	522 483 112		343,15	2,006	512,15	2,594			
		73	522 483 113		424,15	2,530	639,75	3,298			
	Racc câble GKN 1x150/50	72	522 483 122		361,40	2,135	540,25	2,759			
		73	522 483 123		466,65	2,765	704,95	3,619			
	Racc câble GKN 1x240/80	72	522 483 132		450,55	2,630	672,05	3,397			
		73	522 483 133		575,65	3,232	857,55	4,211			
	Racc câble GKN -4x10/10	72	522 483 312		299,45	1,840	452,75	2,382			
		73	522 483 313		387,15	2,528	602,90	3,340			
	Racc câble GKN -4x25/25	72	522 483 322		514,70	2,144	724,30	2,770			
		73	522 483 323		613,30	2,844	887,75	3,742			
	Racc câble GKN -4x50/50	72	522 483 332		607,40	2,787	868,10	3,601			
		73	522 483 333		772,30	3,845	1'129,70	5,039			
	Racc câble GKN -4x95/95	72	522 483 342		805,75	3,430	1'137,50	4,429			
		73	522 483 343		995,60	4,400	1'424,25	5,753			
	Racc câble GKN -4x150/150	72	522 483 352		839,00	3,713	1'191,65	4,793			
		73	522 483 353		1'135,30	5,215	1'644,55	6,887			
	Racc câble GKN -4x185/185	72	522 483 362		731,15	4,088	1'082,50	5,274			
		73	522 483 363		1'075,00	5,654	1'595,10	7,448			













Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Racc câble GKN -4x240/240	72	522 483 372		763,30	4,348	1'134,10	5,608			
		73	522 483 373		1'189,95	5,932	1'746,55	7,808			
	Racc câble CEM flex 4x150+95	73	522 485 142		896,15	5,482	1'380,45	7,294			
	Racc câble CEM flex 4x185+95	73	522 485 152		948,15	5,790	1'458,40	7,692			
	Racc câble CEM flex 4x240+120	73	522 485 162		1'054,95	6,162	1'607,45	8,190			
	Câble flex B2ca 1x120	52	522 532 513		31,15	0,090	41,80	0,116			
		53	522 532 514		47,55	0,190	66,40	0,245			
	Câble flex B2ca 1x150	52	522 532 613		36,80	0,090	48,45	0,116			
		53	522 532 614		52,00	0,186	71,50	0,240			
	Câble flex B2ca 1x185	52	522 532 713		42,95	0,090	55,85	0,116			
		53	522 532 714		58,20	0,186	78,85	0,240			
	Câble flex B2ca 1x240	52	522 533 113	17	52,00	0,090	66,60	0,116			
		53	522 533 114	17	66,75	0,185	89,00	0,238			
	Câble flex Cca 2x1	11	522 544 211		9,60	0,073	15,20	0,094			
		52	522 544 213		7,90	0,060	12,45	0,077			
		53	522 544 214		13,15	0,107	21,20	0,138			
	Câble flex Cca 7x1	52	522 544 253		10,25	0,066	15,75	0,086			
		53	522 544 254		16,50	0,122	26,10	0,158			



522 Conducteurs de courant fort

522.010

© EIT.swiss 01.24











Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Câble flex Cca 12x1	52	522 544 273		12,35	0,066	18,20	0,086			
		53	522 544 274		18,60	0,122	28,55	0,158			
	Câble flex Cca 2x1,5	11	522 544 311		10,15	0,073	15,85	0,094			
		52	522 544 313		8,45	0,060	13,10	0,077			
		53	522 544 314		13,70	0,107	21,85	0,138			
	Câble flex Cca 10x1,5	52	522 544 363		13,20	0,066	19,25	0,086			
		53	522 544 364		19,45	0,122	29,55	0,158			
	Câble flex Cca 12x1,5	52	522 544 373		14,70	0,066	21,05	0,086			
		53	522 544 374		20,95	0,122	31,35	0,158			
	Câble flex Cca 7x4	52	522 544 533		23,80	0,066	31,90	0,086			
		53	522 544 534		30,05	0,122	42,20	0,158			
	Câble flex Cca 7x6	52	522 544 653		25,60	0,090	35,15	0,116			
		53	522 544 654		33,50	0,161	48,15	0,207			
	Câble flex Cca 1x120	52	522 545 753		64,10	0,090	81,05	0,116	114 281 106	54,15	64,50
		53	522 545 754		80,50	0,190	105,65	0,245			
	Câble flex Cca 1x150	52	522 546 153		77,15	0,090	96,55	0,116	114 284 106	67,15	80,00
		53	522 546 154		92,35	0,186	119,55	0,240			
	Câble flex Cca 1x185	52	522 546 253		92,15	0,090	114,40	0,116	114 287 106	82,15	97,85
		53	522 546 254		107,35	0,186	137,45	0,240			
	Câble flex Cca 1x240	52	522 546 353		116,40	0,090	143,30	0,116	114 290 006	106,45	126,80
		53	522 546 354		131,20	0,185	165,70	0,238			



522 Conducteurs de courant fort

522.011

© EIT.swiss 01.24











Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Câble flex blindé Cca 4x0,75	11	522 553 111		11,65	0,073	17,65	0,094			
		52	522 553 113		9,95	0,060	14,90	0,077			
		53	522 553 114		15,20	0,107	23,65	0,138			
	Câble flex blindé Cca 8x0,75	11	522 553 121		13,45	0,073	19,75	0,094			
		52	522 553 123		12,40	0,066	18,30	0,086			
		53	522 553 124		18,65	0,122	28,60	0,158			
	Câble flex blindé Cca 12x0,75	52	522 553 133		14,35	0,066	20,60	0,086			
		53	522 553 134		20,60	0,122	30,95	0,158			
	Câble flex blindé Cca 18x0,75	52	522 553 143		17,20	0,066	24,05	0,086			
		53	522 553 144		23,45	0,122	34,35	0,158			
	Câble flex blindé Cca 25x0,75	52	522 553 153		20,30	0,066	27,70	0,086			
		53	522 553 154		26,55	0,122	38,00	0,158			
	Câble flex blindé Cca 2x1	11	522 553 211		10,60	0,073	16,40	0,094	118 855 020	2,25	2,65
		52	522 553 213		8,90	0,060	13,65	0,077			
		53	522 553 214		14,15	0,107	22,40	0,138			
	Câble flex blindé Cca 7x1	52	522 553 253		12,70	0,066	18,65	0,086			
		53	522 553 254		18,95	0,122	28,95	0,158			
	Câble flex blindé Cca 12x1	52	522 553 273		15,90	0,066	22,50	0,086			
		53	522 553 274		22,15	0,122	32,80	0,158			
	Câble flex blindé PVC 2x2x0,5	11	522 562 111		11,00	0,073	16,85	0,094	113 773 023	2,65	3,15
		52	522 562 113		9,30	0,060	14,10	0,077			
		53	522 562 114		14,55	0,107	22,85	0,138			
	Câble flex blindé PVC 3x2x0,5	11	522 562 121		11,45	0,073	17,40	0,094	113 773 033	3,10	3,70
		52	522 562 123		10,40	0,066	15,90	0,086			
		53	522 562 124		16,65	0,122	26,25	0,158			



522 Conducteurs de courant fort

522.012

© EIT.swiss 01.24








Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
 4x2x0,5	Câble flex blindé PVC 4x2x0,5	11	522 562 131		12,65	0,073	18,85	0,094	113 773 043	4,30	5,10
		52	522 562 133		11,60	0,066	17,35	0,086			
		53	522 562 134		17,85	0,122	27,70	0,158			
 -12x2,5	Racc câble flex -12x2,5	72	522 581 141		124,55	0,990	201,05	1,290			
		73	522 581 142		294,95	2,508	506,15	3,414			
		71	522 581 143		50,45	0,454	83,60	0,586			
 -1x120	Racc câble flex -1x120	72	522 581 612		95,50	0,648	148,60	0,848			
		73	522 581 613		166,70	1,142	263,10	1,514			
 1x185	Racc câble flex 1x185	72	522 582 112		144,25	0,768	212,80	1,002			
		73	522 582 113		238,70	1,378	361,00	1,818			
 1x240	Racc câble flex 1x240	72	522 582 212		154,85	0,768	225,40	1,002			
		73	522 582 213		251,50	1,378	376,25	1,818			
 1x150	Racc câble flex 1x150	72	522 582 312		95,65	0,648	148,80	0,848			
		73	522 582 313		174,35	1,142	272,15	1,514			
 -18x1,5	Racc câble flex blindé -18x1,5	71	522 585 751		81,35	0,734	134,80	0,946			
		72	522 585 752		188,40	1,560	306,40	2,024			
		73	522 585 753		432,35	3,728	744,70	5,070			
 -25x1,5	Racc câble flex blindé -25x1,5	71	522 585 761		101,70	0,918	168,35	1,182			
		72	522 585 762		238,10	1,942	385,30	2,516			
		73	522 585 763		581,95	4,998	1'001,90	6,802			
 1x6	Fil Eca 1x6	52	522 713 411		7,70	0,049	11,80	0,064	105 002 400	2,25	2,65
		53	522 713 412		10,35	0,073	16,05	0,094			
 1x10	Corde Eca 1x10	52	522 723 111		10,70	0,060	15,80	0,077	105 502 500	4,05	4,80
		53	522 723 112		15,90	0,107	24,45	0,138			



522 Conducteurs de courant fort

522.013

© EIT.swiss 01.24

Informations générales				Informations à l'entrepreneur (valeurs indicatives sans engagement)							
		CI	CAN	Référence aux produits (PRD)	Prestation 1 CHF	Prestation 1 h	Prestation 2 CHF	Prestation 2 h	Numéro ELDAS	Matériel 1 CHF	Matériel 2 CHF
	Corde Eca 1x16	52	522 723 211		12,85	0,060	18,35	0,077	105 502 600	6,20	7,35
		53	522 723 212		18,05	0,107	27,05	0,138			
	Corde Eca 1x25	52	522 723 311		17,70	0,066	24,65	0,086	105 502 700	10,40	12,40
		53	522 723 312		23,90	0,122	34,90	0,158			
	Corde Eca 1x50	52	522 723 511		26,00	0,066	34,50	0,086	105 502 900	18,70	22,25
		53	522 723 512		32,20	0,122	44,75	0,158			
	Toron Eca 1x1,5	52	522 732 311		6,20	0,049	10,00	0,064	113 113 801	0,75	0,90
	Toron Eca 1x2,5	52	522 732 411		6,50	0,049	10,40	0,064	113 103 908	1,05	1,25
	Toron Eca 1x4	52	522 732 511		7,10	0,049	11,10	0,064	113 104 008	1,65	2,00
	Toron Eca 1x6	52	522 732 611		7,90	0,049	12,05	0,064	113 104 100	2,40	2,90



© EIT.swiss 01.24

Informations générales

Informations à l'entrepreneur (valeurs indicatives sans engagement)